

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| S1 | 4465 | ("709"/\$3).ccis. and (ping\$3 or collect\$3 or obtain\$3 or monitor\$3 or detect\$3 or captur\$3 or determin\$3) with (online or on-line or network or Internet) adj5 (user or client or customer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:06 |
| S2 | 4307 | S1 and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:07 |
| S3 | 27 | S2 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) adj10 (email or e-mail or electronic adj mail) near10 (traffic or travel\$3 or communicat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:07 |
| S4 | 10 | S3 and (IP or internet adj protocol) adj address and (client or user or sender) near3 name | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:01 |
| S5 | 10 | S4 and (database or data adj base or directory or repository) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:01 |
| S6 | 65 | S2 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) adj10 (email or e-mail or electronic adj mail) near10 (name or address) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:01 |
| S7 | 27 | S6 and (IP or internet adj protocol) adj address and (client or user or sender) near3 name | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:09 |
| S8 | 22 | S7 and (database or data adj base or directory or repository) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:01 |
| S9 | 18992 | (snoop\$3 or ping\$3 or collect\$3 or obtain\$3 or monitor\$3 or detect\$3 or captur\$3 or determin\$3) with (online or on-line or network or Internet) adj5 (user or client or customer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:20 |

| | | | | | | |
|-----|-------|---|---|----|----|------------------|
| S10 | 18199 | S9 and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:21 |
| S11 | 325 | S10 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) adj10 (email or e-mail or electronic adj mail or message) near10 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:22 |
| S12 | 1 | S11 and (map\$4 or compar\$3 or match\$3 or obtain\$3 or access\$3) with (IP or internet adj protocol) adj address with (client or user or sender or email or e-mail) near3 name | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:15 |
| S13 | 361 | S10 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3 or extract\$3) adj10 (email or e-mail or electronic adj mail or message) near10 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:15 |
| S14 | 1 | S13 and (map\$4 or compar\$3 or match\$3 or obtain\$3 or access\$3) with (IP or internet adj protocol) adj address with (client or user or sender or email or e-mail) near3 name | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:24 |
| S15 | 487 | directory adj (service or server) and (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) with (online or on-line or network or Internet) adj5 (user or client or customer or information or message) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:27 |
| S16 | 14 | S15 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) adj10 (email or e-mail or electronic adj mail or message) near20 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 08:47 |
| S17 | 1069 | directory near5 (service or server or database) and (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) with (online or on-line or network or Internet) adj5 (user or client or customer or information or message) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:27 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S18 | 53 | S17 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) adj10 (email or e-mail or electronic adj mail or message) near20 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:31 |
| S19 | 57 | S17 and discover\$3 with (network or online or on-line) near5 (name or address or user or client or customer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:31 |
| S20 | 0 | S18 and S19 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/04 18:31 |
| S21 | 17 | S19 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) adj10 (email or e-mail or electronic adj mail or message) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 08:15 |
| S22 | 1069 | directory near5 (service or server or database) and (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) with (online or on-line or network or Internet) adj5 (user or client or customer or information or message) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 08:42 |
| S23 | 57 | S22 and discover\$3 with (network or online or on-line) near5 (name or address or user or client or customer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 08:15 |
| S24 | 17 | S23 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) adj10 (email or e-mail or electronic adj mail or message) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 08:15 |
| S25 | 409 | (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) near20 (e-mail or email or mail) with (traffic or flow or in-bound or inbound or out-bound or outbound) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 09:14 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S26 | 51 | (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) near20 (e-mail or email or mail) with (traffic or flow or in-bound or inbound or out-bound or outbound).ti,ab. and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 08:19 |
| S27 | 0 | S26 and (IP adj address or Internet adj protocol adj address) and (e-mail or email or mail) adj address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 08:21 |
| S28 | 59 | S25 and (IP adj address or Internet adj protocol adj address) and (e-mail or email or mail) adj address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:11 |
| S29 | 52 | S28 and (database or data adj base) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 08:22 |
| S30 | 28 | S29 and ("709"/\$3).ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 08:22 |
| S31 | 36 | directory near5 (service or server or database) and (709/206 or 709/204 or 709/205).ccls. and (709/223 or 709/224).ccls. and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 09:16 |
| S32 | 9 | S22 and S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 09:13 |
| S33 | 0 | S25 and S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 09:13 |
| S34 | 1780 | (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) near20 (e-mail or email or mail) near5 (address or name) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:23 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S35 | 673 | S34 and (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) adj5 (e-mail or email or mail) near5 (address or name) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 09:15 |
| S36 | 584 | S34 and (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) adj5 (e-mail or email or mail) near3 (address or name) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 09:15 |
| S37 | 227 | S36 and (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) adj5 (e-mail or email or mail) near3 (address or name).ti, ab. and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:13 |
| S38 | 3 | S37 and directory near5 (service or server or database) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:13 |
| S39 | 6 | S37 and (repository or directory or database) and (IP adj address or Internet adj protocol adj address) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 10:38 |
| S40 | 2 | S37 and discover\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 10:39 |
| S41 | 7 | S37 and (IP adj address or Internet adj protocol adj address) and (e-mail or email or mail) adj address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 12:58 |
| S42 | 83 | directory near5 (service or server or database) with (identify\$3 or determin\$3 or detect\$3 or check\$3 or monitor\$3) adj10 (online or on-line or (using or connect\$3 or log\$4) adj5 (network or device or computer or Internet)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:44 |
| S43 | 0 | S37 and S42 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:16 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S44 | 0 | S34 and S42 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:16 |
| S45 | 4 | S42 and (709/206).cccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:17 |
| S46 | 82 | S42 and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:45 |
| S47 | 4299 | (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) near20 (e-mail or email or mail or electronic adj mail) near5 (address or name or information or data or traffic) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:24 |
| S48 | 1114 | S47 and (snoop\$3 or monitor\$3 or detect\$3 or captur\$3 or intercept\$3) adj10 (e-mail or email or mail or electronic adj mail) adj5 (address or name or information or data or traffic) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 15:46 |
| S49 | 1 | S46 and S48 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:46 |
| S50 | 180 | S48 and (identify\$3 or determin\$3 or detect\$3 or check\$3 or monitor\$3) adj10 (online or on-line or (using or connect\$3 or log\$4) adj5 (network or device or computer or Internet)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:13 |
| S51 | 19 | directory near5 (service or server or database) and S50 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:34 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S52 | 117 | directory near5 (service or server or database) with (identify\$3 or determin\$3 or detect\$3 or check\$3 or monitor\$3) adj10 (online or on-line or (us\$3 or connect\$3 or log\$4) adj5 (network or device or computer or Internet)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:49 |
| S53 | 116 | S52 and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 11:45 |
| S54 | 1 | S53 and S48 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 12:10 |
| S55 | 2993 | directory near5 (service or server or database) and (identify\$3 or determin\$3 or detect\$3 or check\$3 or monitor\$3) adj10 (online or on-line or (us\$3 or connect\$3 or log\$4) adj5 (network or device or computer or Internet)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 12:08 |
| S56 | 128 | S55 and (provi\$3 or provision\$3) adj5 directory near5 (service or server or database) and (identify\$3 or determin\$3 or detect\$3 or check\$3 or monitor\$3) adj10 (online or on-line or (us\$3 or connect\$3 or log\$4) adj5 (network or device or computer or Internet)) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 12:55 |
| S57 | 0 | S56 and S48 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 12:14 |
| S58 | 31 | S55 and S48 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 12:41 |
| S59 | 884 | (build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3) near10 (information or data or address or item or element) near10 directory near5 (service or server or database) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 13:14 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S60 | 70 | S59 and (IP adj address or Internet adj protocol adj address) and (e-mail or email or mail or electroni adj mail) near3 address | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 12:58 |
| S61 | 8 | S47 and S60 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 16:33 |
| S62 | 19 | S47 and S59 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 13:15 |
| S63 | 11 | S62 not S61 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 13:03 |
| S64 | 1412 | (updat\$3 or build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3) near10 (information or data or address or item or element) near10 directory near5 (service or server or database) and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 08:51 |
| S65 | 31 | S47 and S64 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 13:21 |
| S66 | 12 | S65 not S62 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 13:21 |
| S67 | 1264 | instant adj messag\$3 and directory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 15:46 |
| S68 | 48 | S67 and S48 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/07 15:46 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S69 | 2 | ("20030172167").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/07 16:33 |
| S70 | 4 | ((("6161134") or ("6581092") or ("20030005100") or ("20040267876")).PN. | US-PGPUB; USPAT | OR | OFF | 2005/03/09 08:35 |
| S71 | 59 | (user or client or person or customer or address or name) near3 discover\$3 and (709/206). ccls. and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 08:53 |
| S72 | 5 | S71 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) adj10 (email or e-mail or electronic adj mail or message) near20 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 12:31 |
| S73 | 0 | (updat\$3 or build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3) near10 (information or data or address or item or element) near10 directory near5 (service or server or database) and S71 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 12:31 |
| S74 | 14 | (updat\$3 or build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3) near10 (information or data or address or item or element) near10 directory near5 (service or server or database) and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) adj10 (email or e-mail or electronic adj mail or message) near20 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 08:57 |
| S75 | 14 | S74 and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 09:44 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S76 | 17 | (updat\$3 or build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3) near10 (information or data or address or item or element) near10 directory near5 (service or server or database) and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3) near10 (email or e-mail or electronic adj mail or message) near20 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 08:58 |
| S77 | 17 | S76 and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:09 |
| S78 | 3 | S77 not S75 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 12:28 |
| S79 | 496 | (SMS or (instant or short) adj2 messag\$3) and (709/206).ccls. and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 12:34 |
| S80 | 8 | (updat\$3 or build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3) near10 (information or data or address or item or element) near10 directory near5 (service or server or database) and S79 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 13:54 |
| S81 | 65 | S79 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3 or collect\$3 or monitor\$3) adj10 (email or e-mail or electronic adj mail or message) near20 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:07 |
| S82 | 0 | S80 and S81 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 12:32 |
| S84 | 152 | (updat\$3 or build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3) near10 (directory or database or repository) and S79 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 12:33 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S85 | 22 | S81 and S84 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:02 |
| S86 | 20 | S85 and (email or e-mail) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 13:53 |
| S87 | 87 | S79 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3 or collect\$3 or monitor\$3) near10 (email or e-mail or electronic adj mail or message) near20 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:51 |
| S88 | 28 | S87 and S84 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:03 |
| S89 | 6 | S88 not S85 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:07 |
| S90 | 232 | (captur\$3 or detect\$3 or obtain\$3 or snoop\$3 or collect\$3 or monitor\$3) adj10 (email or e-mail or electronic adj mail or message) near10 (name or address or user or location or data or information).ti, ab. same (enter\$3 or add\$3 or stor\$3) with (database or data adj base or directory or repository) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:52 |
| S91 | 224 | S90 and (@AD < "20030728" or @RLAD < "20030728") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:10 |
| S92 | 11 | S91 and discover\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:12 |
| S93 | 68 | S91 and (online or on-line or (using or connect\$3 or log\$4) adj5 (network or device or computer or Internet)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:14 |

| | | | | | | |
|------|------|---|---|----|----|------------------|
| S94 | 23 | S91 and (identify\$3 or check\$3 or monitor\$3 or determin\$3 or prob\$3) with (online or on-line or (using or connect\$3 or log\$4) adj5 (network or device or computer or Internet)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:53 |
| S95 | 94 | S79 and (captur\$3 or detect\$3 or obtain\$3 or snoop\$3 or collect\$3 or monitor\$3 or extract\$3) near10 (email or e-mail or electronic adj mail or message) near20 (traffic or travel\$3 or communicat\$3 or flow or online or on-line) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:51 |
| S96 | 377 | (captur\$3 or detect\$3 or obtain\$3 or snoop\$3 or collect\$3 or monitor\$3 or extract\$3) adj10 (email or e-mail or electronic adj mail or message) near10 (name or address or user or location or data or information).ti,ab. same (enter\$3 or add\$3 or stor\$3) with (database or data adj base or directory or repository) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 15:15 |
| S97 | 30 | S96 and (identify\$3 or check\$3 or monitor\$3 or determin\$3 or prob\$3) with (online or on-line or (using or connect\$3 or log\$4) adj5 (network or device or computer or Internet)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:57 |
| S98 | 30 | S97 not S85 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:56 |
| S99 | 9 | S96 and (identify\$3 or check\$3 or monitor\$3 or determin\$3 or prob\$3) with (online or on-line or (using or connect\$3 or log\$4) adj5 (network or device or computer or Internet)).ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 14:57 |
| S100 | 1679 | (captur\$3 or detect\$3 or obtain\$3 or snoop\$3 or collect\$3 or monitor\$3 or extract\$3) adj10 (email or e-mail or electronic adj mail or message) near10 (name or address or user or location or data or information) same (enter\$3 or add\$3 or stor\$3) with (database or data adj base or directory or repository) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 15:13 |

| | | | | | | |
|----------|----|---|---|----|-----|------------------|
| S10 1 | 70 | S96 and (build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3)near10 (database or data adj base or directory or repository) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 15:16 |
| S10 2 | 39 | S101 and (build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3)near10 (database or data adj base or directory or repository). ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 15:16 |
| S10 3 | 39 | S101 and (build\$3 or creat\$3 or accumulat\$3 or construct\$3 or add\$3)near10 (database or data adj base or directory or repository). ti,ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/03/09 15:40 |
| S10 6 | 92 | ((("6131120") or ("6345266") or ("5761499") or ("6185612") or ("5983234") or ("6014667") or ("6101500") or ("6115549") or ("6119122") or ("6173289") or ("6219692") or ("6219692") or ("6516325") or ("6647393") or ("6671688") or ("6721758") or ("5870561") or ("5937164") or ("5764736") or ("6185306") or ("6212178") or ("6212178") or ("5589849") or ("5892825") or ("6161133") or ("5956391") or ("5978568") or ("6230197") or ("5437024") or ("5757891") or ("5765033") or ("5768505") or ("5860068") or ("5893096") or ("5946386") or ("5961620") or ("5982507") or ("6023345") or ("6025931") or ("6073167") or ("6081832") or ("6105056") or ("6128646") or ("6179713") or ("6205471") or ("6247129") or ("4790003") or ("4941170") or ("5557320") or ("5606361")).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/03/09 15:44 |